COOKCHAIN / COOKDEX

Whitepaper & DEX Listing Package

Current V2 / V3 deployments, EasyLaunch curves, system curves and official token contracts.

English revision | 08 October 2026 | Snapshot 2026-10-08 07:59 UTC

Directory scope	Current snapshot
CookDEX AMM networks	17
EasyLaunch factory entries	96
Published system curve markets	14
Official wCOOK representations	16
Stable asset	USDC; no CUSD deployment included

Prepared for GeckoTerminal, DEXTools, DEX Screener and other market-data integrations. Current top-level CookDEX deployment fields and current EasyLaunch factory slots are used. Superseded factory-history entries and unrelated third-party AMM router lists are excluded. Existing published curves retain their actual deployed migration targets.

Official swap

CookDEX

Cookchain explorer / project

Cook Army

How to use this package

Submit the normal AMM factory/router pairs for CookDEX V2 and V3. Submit EasyLaunch and system-curve deployments as separate bonding-curve discovery / trading sources. A V3 migration destination does not make the pre-migration curve a concentrated-liquidity V3 pool.

Part	Contents
Project brief	Architecture, CookSwap, USDC and native COOK rewards
Network sheets	Chain identifiers, RPC, wrapped native, current V2/V3 addresses
EasyLaunch sheets	Current launch factories, routed V2 execution and V3 fee tiers
System curve sheets	Discovery factory, direct curve trading contract, token and quote
Official wCOOK directory	One token representation per listed chain
Indexer notes	Events, reserves, migration and submission checks
API quick reference	Public statistics, pool catalog and trade-history retrieval

Evidence labels

Configured means the address is in the current deployment configuration. RPC factory match means factory() returned the configured AMM factory and the chain ID matched. Recorded source status reflects the deployment verification record; it is not a fresh independent audit. An unavailable RPC check is reported, never replaced by an assumed success.

Every address is scoped by chain ID. Identical hexadecimal addresses on different chains may represent different contracts. Address links open the corresponding explorer; swap links open preset token pairs and do not initiate a transaction.

Project brief: Cookchain, CookDEX and CookSwap

Cookchain provides an EVM-compatible execution environment for contracts and transactions. CookDEX provides AMM pools, token metadata and EasyLaunch bonding-curve launches. Cookscan exposes chain activity. CookSwap provides a multi-chain trading interface and compares supported routes by quoted output.

Trading architecture

CookDEX V2 uses paired token reserves and an AMM factory/router model. CookDEX V3 uses fee tiers, ticks, concentrated liquidity and an NFT position manager. EasyLaunch sells and buys tokens along a launch curve before its configured AMM migration. System curves provide separate project liquidity curves for existing token contracts.

CookSwap functionality

CookSwap supports configured EVM networks, native and wrapped assets where the execution path supports them, explicit wrap/unwrap controls, configurable slippage and shareable preset links. Approved token logos and launch metadata come from CookDEX. Token selection separates regular tokens, EasyLaunches and system curve pools. A chart panel and DEX statistics page expose market information.

Routing can use CookDEX and other configured venues. EasyLaunch creation is restricted to CookDEX destinations. Quotes and USD values are indicative; the wallet authorizes transactions, token approvals and gas spending. Pool discovery, history indexing and bridge-route activation are separate processes.

Stable asset: USDC

USDC is the stable asset used in this package. The Cookchain quote representation uses 6 decimals. Cookchain USDC is identified by its chain-specific ERC-20 address below; its bridge representation must not be described as direct issuer minting on Cookchain. No CUSD token or CUSD issuance mechanism is included.

Cookchain asset	Contract
wCOOK - wrapped native COOK	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
USDC - stable quote token	`0xa28324ec703c1620ae798b1cd540bb90a2712d4a`

Cookchain native asset and network data

Field	Value / evidence
Network	Cookchain; EVM / QBFT
Chain ID	20261001 (0x1352889)
Native currency	COOK; 18 decimals; no ERC-20 address
Wrapped native	0xf800bf07394e8290807b4ce579f4e9f99c3da869
HTTP RPC	https://rpc.cookscan.net/evm
Alternative RPC domains	https://rpc.cookdex.net | https://rpc.ldbl.net | https://rpc.zeven.zone
WebSocket	wss://rpc.cookscan.net/evm - configured URL; not re-tested in this revision
Explorer	https://cookscan.net
Alternative explorer	https://blockscout.cookscan.net
Client	besu/v26.9.0/linux-x86_64/openjdk-java-25
Target block interval	3 seconds (QBFT configuration)
Epoch length	30,000 blocks (QBFT configuration)
Block gas limit	30000000
Latest sampled block	203098
Genesis block hash	0xcf5b9cb3565f307806ee9f9e7652e405827b20655621ab284c0e80afea85a397
Native block reward	0.001 COOK per block; explorer-reported reward at block 203096

At a constant 3-second block interval, 0.001 COOK per block corresponds to approximately 28.8 COOK/day or 10,512 COOK per 365 days. These are arithmetic projections, not guaranteed emissions or validator returns. The sampled explorer record and configured reward transition agree; beneficiary payout was not independently reconciled in this document.

Gas fees are separate from the native block subsidy. Gas used, base fee, effective gas price and any burned fee component must be measured per transaction/block. The existing staking registry does not establish automatic contract-based validator selection or staking rewards; live QBFT admission remains a separate governance process.

Current deployment coverage

Chain	Chain ID	AMM	Launch slots	System curves
Cookchain	20261001	V2 + V3	6	1
Arbitrum	42161	V2 + V3	6	1
Arc	5042	V2 + V3	6	1
Avalanche	43114	V2 + V3	6	1
BNB Chain	56	V2 + V3	6	2
Base	8453	V2 + V3	6	1
Blast	81457	V2 + V3	6	1
Ethereum	1	V2	0	0
Fantom Opera	250	V2 + V3	6	0
HyperEVM	999	V2 + V3	6	1
Linea	59144	V2 + V3	6	0
Monad	143	V2 + V3	6	0
Optimism	10	V2 + V3	6	1
Polygon	137	V2 + V3	6	1
Robinhood Chain	4663	V2 + V3	6	1
Sonic	146	V2 + V3	6	1
Unichain	130	V2 + V3	6	1

Only networks with at least one current CookDEX AMM factory are included in the AMM sheets. Other configured networks without a CookDEX deployment are not presented as deployed. Ethereum currently has V2 only and no current EasyLaunch factory slot in this snapshot.

Cookchain | Current AMM contracts

Network field	Value
Chain ID	20261001
Native asset	COOK; 18 decimals
DEX enabled	True
RPC	https://rpc.cookscan.net/evm
Explorer	https://cookscan.net
Wrapped native token	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`

Contract role	Current address
CookDEX V2 AMM factory	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
CookDEX V2 Swap router	`0x086cf2482f13bfcaad24ae55ae083f02ffbd8ef4`
CookDEX V3 AMM factory	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`
CookDEX V3 Swap router	`0x1ef53b37a0913834498b640f4b626a2c2e5be0f5`
CookDEX V3 NFT position manager	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`
CookDEX V3 Quoter	`0x025fc5e9f8c1f73221c5618f46b4aec6df7a3e6d`
CookDEX V3 Quoter V2	`0x87a67937cd1b7322a518fd7b3c8f3e898ff69039`

V2: RPC factory match; chain ID confirmed.

V3: RPC factory match; chain ID confirmed.

Cookchain native reward details are given in the network data sheet.

Open CookSwap on Cookchain

Cookchain | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0x58cc4e827f84c8efdd2c7d62ea832f5c880575eb`
Dedicated curve trade router	`0x08caa3c1ec846099f36a046e06ab30968276164f`
Migration AMM router	`0x086cf2482f13bfcaad24ae55ae083f02ffbd8ef4`
Migration AMM factory	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
Liquidity lock / burn vault	`0x3a1be5d1465463538807df8016c36c1acb1ef156`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0xce65e6b4d8ad31ccaae9bf45ee7b9bdeb38dee21`	`0xa2878195fab7a1293b339ee73284ba85550eea7c`
0.05% / rev. 7	`0x1d36f69c7deef72b09526e8c00df3ed17c18aad0`	`0x8cf5393ca916711d9bac8a82c72b96d4f5af7ce3`
0.1% / rev. 7	`0x126de8015950cdae4b269d6e5f67e2d4dd66742d`	`0xe79a786ee5b9fa24bcf77146554c331d28e58766`
0.3% / rev. 7	`0x0572f19c040a642144115664a7d382828b4dd035`	`0x14c994041746c6d89404ef8412875f251a4e6bfa`
1% / rev. 7	`0x722ccf77e372c21d48904b4b2b19a5f420a68a55`	`0x5cc76a8652c78af4547015a6e5d2b9f95111d5f6`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`
AMM swap router	`0x1ef53b37a0913834498b640f4b626a2c2e5be0f5`
AMM factory	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

Arbitrum | Current AMM contracts

Network field	Value
Chain ID	42161
Native asset	ETH; 18 decimals
DEX enabled	True
RPC	https://arb1.arbitrum.io/rpc
Explorer	https://arbiscan.io
Wrapped native token	`0x82aF49447D8a07e3bd95BD0d56f35241523fBab1`

Contract role	Current address
CookDEX V2 AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
CookDEX V2 Swap router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
CookDEX V3 AMM factory	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`
CookDEX V3 Swap router	`0x1ef53b37a0913834498b640f4b626a2c2e5be0f5`
CookDEX V3 NFT position manager	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`

V2: Configured address; RPC factory check unavailable in this run.

V3: Configured address; RPC factory check unavailable in this run.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Arbitrum

Arbitrum | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0x6303bfbc668ce916c7c9b40d6b67889d28a6cf4c`
Dedicated curve trade router	`0x9256d90dcbc64d0bd7cd1662a9135639b2a638f7`
Migration AMM router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
Migration AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
Liquidity lock / burn vault	`0xe8833c9eb0aeabcc444e48cb882fe6bebf1988d5`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0x3a0195e8d40b9dfb45aae4d55859b80721ca8be2`	`0x1507fc46ba8284d749cd21eaf164a2df070b9181`
0.05% / rev. 7	`0x77f545496020c26d4a5bb8c9deb4d4f0d3dfa3f6`	`0x90fb0e289bfb5ce3f129847c8666f267f2d7f07a`
0.1% / rev. 7	`0x7ec3836d299867f2276948e38766cad22c38c84d`	`0xd6a2494cc2484b4bf269e57c852f62f819a21880`
0.3% / rev. 7	`0x4c1044fbd545f860b68bb307b2acc6c704329f4a`	`0x267121901a9100c7e950dd71bdea3bcb34cc9e2c`
1% / rev. 7	`0xc3ccbadec12b3877c193846608d494ea3b1a7fc6`	`0xfe18b129f892aa8ac6a3087dcacbfbab302c834a`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`
AMM swap router	`0x1ef53b37a0913834498b640f4b626a2c2e5be0f5`
AMM factory	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

Arc | Current AMM contracts

Network field	Value
Chain ID	5042
Native asset	USDC; 6 decimals
DEX enabled	True
RPC	https://rpc.mainnet.arc.io/
Explorer	https://explorer.arc.io
Wrapped native token	`0x3600000000000000000000000000000000000000`

Contract role	Current address
CookDEX V2 AMM factory	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`
CookDEX V2 Swap router	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
CookDEX V3 AMM factory	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`
CookDEX V3 Swap router	`0xbaa02841530d89bd379f80245d3047a0537ab25b`
CookDEX V3 NFT position manager	`0xc70abfcb74b7680aa7e9846410d59a2bb1f78f96`
CookDEX V3 Quoter	`0xd6a2494cc2484b4bf269e57c852f62f819a21880`
CookDEX V3 Quoter V2	`0x7ec3836d299867f2276948e38766cad22c38c84d`

V2: Configured address; RPC factory check unavailable in this run.

V3: Configured address; RPC factory check unavailable in this run.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Arc

Arc | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0xc3ccbadec12b3877c193846608d494ea3b1a7fc6`
Dedicated curve trade router	No dedicated router configured; curve trades execute directly
Migration AMM router	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
Migration AMM factory	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`
Liquidity lock / burn vault	`0xfe18b129f892aa8ac6a3087dcacbfbab302c834a`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0x016ba57bac7b1e1f9d9f61c27d2d2e54f02a7035`	`0x04b456f41daf49e3f21cb514ad0c35fe2ada70e0`
0.05% / rev. 7	`0x995926bffa2779753acd614032683600b35c5576`	`0x6506ff52af9bca654d21976ef8c31a3a23b9ef49`
0.1% / rev. 7	`0x8421d82ef3e7679fc98f5a944add91578dd3676a`	`0xc3f9990f4769a1405d93807f0d6d204a80a48f91`
0.3% / rev. 7	`0x69160216c165663274dd3bea215cc17fa9eb0616`	`0x7ad0229e231e9168c618cbc31b7c22f00d44e24b`
1% / rev. 7	`0xd0c0a6a19fde40ce5fdf265d09efc2365bc6601b`	`0x1662dbff4c53e3636fd760c276bce5d0683953cb`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0xc70abfcb74b7680aa7e9846410d59a2bb1f78f96`
AMM swap router	`0xbaa02841530d89bd379f80245d3047a0537ab25b`
AMM factory	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

Avalanche | Current AMM contracts

Network field	Value
Chain ID	43114
Native asset	AVAX; 18 decimals
DEX enabled	True
RPC	https://api.avax.network/ext/bc/C/rpc
Explorer	https://snowtrace.io
Wrapped native token	`0xB31f66AA3C1e785363F0875A1B74E27b85FD66c7`

Contract role	Current address
CookDEX V2 AMM factory	`0x790919e9ea6ac73595e31ad5c05db8ea5126580e`
CookDEX V2 Swap router	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`
CookDEX V3 AMM factory	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`
CookDEX V3 Swap router	`0xbaa02841530d89bd379f80245d3047a0537ab25b`
CookDEX V3 NFT position manager	`0xc70abfcb74b7680aa7e9846410d59a2bb1f78f96`
CookDEX V3 Quoter	`0xe8833c9eb0aeabcc444e48cb882fe6bebf1988d5`
CookDEX V3 Quoter V2	`0x6303bfbc668ce916c7c9b40d6b67889d28a6cf4c`

V2: RPC factory match; chain ID confirmed.

V3: RPC factory match; chain ID confirmed.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Avalanche

Avalanche | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0xfe18b129f892aa8ac6a3087dcacbfbab302c834a`
Dedicated curve trade router	`0x9fbfea94dcb78a0f20a09755dcd673ad5f5a2999`
Migration AMM router	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`
Migration AMM factory	`0x790919e9ea6ac73595e31ad5c05db8ea5126580e`
Liquidity lock / burn vault	`0x7ec3836d299867f2276948e38766cad22c38c84d`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0x04b456f41daf49e3f21cb514ad0c35fe2ada70e0`	`0x69160216c165663274dd3bea215cc17fa9eb0616`
0.05% / rev. 7	`0x6506ff52af9bca654d21976ef8c31a3a23b9ef49`	`0x016ba57bac7b1e1f9d9f61c27d2d2e54f02a7035`
0.1% / rev. 7	`0xc3f9990f4769a1405d93807f0d6d204a80a48f91`	`0x995926bffa2779753acd614032683600b35c5576`
0.3% / rev. 7	`0x7ad0229e231e9168c618cbc31b7c22f00d44e24b`	`0xe078acccf91da406db4cc8beecaa9e97dd737d57`
1% / rev. 7	`0x1662dbff4c53e3636fd760c276bce5d0683953cb`	`0x8421d82ef3e7679fc98f5a944add91578dd3676a`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0xc70abfcb74b7680aa7e9846410d59a2bb1f78f96`
AMM swap router	`0xbaa02841530d89bd379f80245d3047a0537ab25b`
AMM factory	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

BNB Chain | Current AMM contracts

Network field	Value
Chain ID	56
Native asset	BNB; 18 decimals
DEX enabled	True
RPC	https://bsc-rpc.publicnode.com/
Explorer	https://bscscan.com
Wrapped native token	`0xbb4CdB9CBd36B01bD1cBaEBF2De08d9173bc095c`

Contract role	Current address
CookDEX V2 AMM factory	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`
CookDEX V2 Swap router	`0xbaa02841530d89bd379f80245d3047a0537ab25b`
CookDEX V3 AMM factory	`0x1da528f72c0410fcc05625235af0cee9dc2b7d14`
CookDEX V3 Swap router	`0x2ebe8cf097dfac228d525f39c26a1248686dc5d7`
CookDEX V3 NFT position manager	`0x0614c8565a2430d8dffd7b82c4d495b3e9d57413`
CookDEX V3 Quoter	`0x92e82fb95112ba5b95d0c88ab8fd3eee3aecae62`
CookDEX V3 Quoter V2	`0x77bf212824ec5ffb645f4abe54251df4287bc43b`

V2: Configured address; RPC factory check unavailable in this run.

V3: Configured address; RPC factory check unavailable in this run.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on BNB Chain

BNB Chain | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0x8c6e6da84da7a1ae5ff50ed953365a002b0bb070`
Dedicated curve trade router	`0xa2a754d2f38a7ff4ba2e06049ad5ed7f684e0a7c`
Migration AMM router	`0xbaa02841530d89bd379f80245d3047a0537ab25b`
Migration AMM factory	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`
Liquidity lock / burn vault	`0x214047841cf1821e9e44fd21863e893ea64cf6aa`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0xf3e86aa9e975d127bce97ab34b7388dd7e1cb34e`	`0xa25330e25f59156da13c26dd1308b9d0ccb87a88`
0.05% / rev. 7	`0xd2d93aa65ed6e9cafe520ae81849143faa59d5db`	`0x9866e0e88fbfe3dc409af779ea2a110179d7f332`
0.1% / rev. 7	`0xdad6802b169aca997136982977f081fe14cf2dfc`	`0x064b0930b616c11fcbe48e6e2196e49d29ac9732`
0.3% / rev. 7	`0x58e0a3b54b33df548ea5b7e6ed64e71d535eab0f`	`0x5b0334b245b9eeb05b9f700211d80b1911457b54`
1% / rev. 7	`0xcc2068ef54eac08e41375ce10a031f17e3f5c9fb`	`0x75207ff9f3ed3935e1fd82b44c4dd9d1a6308742`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0x0614c8565a2430d8dffd7b82c4d495b3e9d57413`
AMM swap router	`0x2ebe8cf097dfac228d525f39c26a1248686dc5d7`
AMM factory	`0x1da528f72c0410fcc05625235af0cee9dc2b7d14`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

Base | Current AMM contracts

Network field	Value
Chain ID	8453
Native asset	ETH; 18 decimals
DEX enabled	True
RPC	https://mainnet.base.org/
Explorer	https://basescan.org
Wrapped native token	`0x4200000000000000000000000000000000000006`

Contract role	Current address
CookDEX V2 AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
CookDEX V2 Swap router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
CookDEX V3 AMM factory	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`
CookDEX V3 Swap router	`0x1ef53b37a0913834498b640f4b626a2c2e5be0f5`
CookDEX V3 NFT position manager	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`
CookDEX V3 Quoter	`0xad7a12f9629be1c6924fd95d8de511ca8e92bf52`
CookDEX V3 Quoter V2	`0x7faf06cc41b81a52cec1435ba8e084d7d280e6fa`

V2: Configured address; RPC factory check unavailable in this run.

V3: Configured address; RPC factory check unavailable in this run.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Base

Base | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0x5b7b146395e0d04b76d3d14952890b0e5eb0abd4`
Dedicated curve trade router	`0x6303bfbc668ce916c7c9b40d6b67889d28a6cf4c`
Migration AMM router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
Migration AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
Liquidity lock / burn vault	`0x9dac54f9ae648ce46a92aacf28d2a58904178fb9`

Recorded source status: not_verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0x39568114e37571d87aa3afcc788d3784c59893fa`	`0x0baf88ba16d73bcc024292065b54a7962b161177`
0.05% / rev. 7	`0x7aa3376054715c6e8f155b30c1de09adf5994490`	`0x7f345ba8a1cc1f7e3155fc01a9d2b61801d195aa`
0.1% / rev. 7	`0x79de83ad4033f7438e6a5f58537475b3c67a5eed`	`0xa28a968c195d71617ddab016d7b21cc3523fc48a`
0.3% / rev. 7	`0x28f1d678bb7250ee602ae98642c99ce379ee9b05`	`0x05e1bafb96595e8a5085be16091ab7a6309ffed8`
1% / rev. 7	`0xf4654a8c9284c9bb2e3b44c439cef821ccdd5982`	`0x7d9398ae4eed0a16c50032f201348105e694379e`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`
AMM swap router	`0x1ef53b37a0913834498b640f4b626a2c2e5be0f5`
AMM factory	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

Blast | Current AMM contracts

Network field	Value
Chain ID	81457
Native asset	ETH; 18 decimals
DEX enabled	True
RPC	https://rpc.blast.io/
Explorer	https://blastscan.io
Wrapped native token	`0x4300000000000000000000000000000000000004`

Contract role	Current address
CookDEX V2 AMM factory	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
CookDEX V2 Swap router	`0x5264f98afc705042ca049fa4a83578cde9b4e3da`
CookDEX V3 AMM factory	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`
CookDEX V3 Swap router	`0x1ef53b37a0913834498b640f4b626a2c2e5be0f5`
CookDEX V3 NFT position manager	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`
CookDEX V3 Quoter	`0xb82e1234a2f3f01888761bd7a53d0fe02a92514f`
CookDEX V3 Quoter V2	`0xa6e6e8099aef40d404f747519ee8adb8b82749f9`

V2: RPC factory match; chain ID confirmed.

V3: RPC factory match; chain ID confirmed.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Blast

Blast | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0x8fb0b82508e04d708c7935e2df152d534000d9bd`
Dedicated curve trade router	`0x7486da6c227081f805605091e35209dfd61b0eb5`
Migration AMM router	`0x5264f98afc705042ca049fa4a83578cde9b4e3da`
Migration AMM factory	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
Liquidity lock / burn vault	`0x92175baed829eccc794b95f392aa4db1fd914599`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0x6551d2e59d4fe354c83bf553287ed7323be078a8`	`0x086cf2482f13bfcaad24ae55ae083f02ffbd8ef4`
0.05% / rev. 7	`0x6303bfbc668ce916c7c9b40d6b67889d28a6cf4c`	`0xe8833c9eb0aeabcc444e48cb882fe6bebf1988d5`
0.1% / rev. 7	`0x267121901a9100c7e950dd71bdea3bcb34cc9e2c`	`0xa3645d0d1869ec4a938076589ebe0047e2427ba4`
0.3% / rev. 7	`0x9d7f9149957a5713676333ddb58f4e4b6f023755`	`0x00454fe8115947d40d03920ed04a841c6afa4b08`
1% / rev. 7	`0x1507fc46ba8284d749cd21eaf164a2df070b9181`	`0x4c1044fbd545f860b68bb307b2acc6c704329f4a`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`
AMM swap router	`0x1ef53b37a0913834498b640f4b626a2c2e5be0f5`
AMM factory	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

Ethereum | Current AMM contracts

Network field	Value
Chain ID	1
Native asset	ETH; 18 decimals
DEX enabled	True
RPC	https://ethereum-rpc.publicnode.com/
Explorer	https://etherscan.io
Wrapped native token	`0xC02aaA39b223FE8D0A0E5C4F27eAD9083C756Cc2`

Contract role	Current address
CookDEX V2 AMM factory	`0x8851d83af77f851839f411e7d6d09e99572bd5dd`
CookDEX V2 Swap router	`0xda24f7e55673d219a87e3c76852bd1c6332c5753`

V2: Configured address; RPC factory check unavailable in this run.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Ethereum

Fantom Opera | Current AMM contracts

Network field	Value
Chain ID	250
Native asset	FTM; 18 decimals
DEX enabled	True
RPC	https://rpcapi.fantom.network/
Explorer	https://explorer.fantom.network
Wrapped native token	`0x21be370D5312f44cB42ce377BC9b8a0cEF1A4C83`

Contract role	Current address
CookDEX V2 AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
CookDEX V2 Swap router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
CookDEX V3 AMM factory	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
CookDEX V3 Swap router	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`
CookDEX V3 NFT position manager	`0x48362fc32a774cefbbc61fd3c33fa23419ad9d7f`
CookDEX V3 Quoter	`0xedf36e8ad12f88d159aa8abac7783910a2981d64`
CookDEX V3 Quoter V2	`0xa315115f6ce2490a6c79d2108a6c8837ad5dd480`

V2: RPC factory match; chain ID confirmed.

V3: RPC factory match; chain ID confirmed.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Fantom Opera

Fantom Opera | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0x9256d90dcbc64d0bd7cd1662a9135639b2a638f7`
Dedicated curve trade router	`0xe9928ef0da897bd21ae7e530d27ca390569830e2`
Migration AMM router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
Migration AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
Liquidity lock / burn vault	`0x9fbfea94dcb78a0f20a09755dcd673ad5f5a2999`

Recorded source status: failed; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0x85dde7cd5825296556fd71bc4e55748ab94aceda`	`0xcb902d115b95e18b8f72bf339145e0fc7afd1e1c`
0.05% / rev. 7	`0x5770b2a9b539dc7efdada3fa1811a253775ebcd2`	`0x57b1b55f3e3869c539ac0ca692ad66e0abddd5d4`
0.1% / rev. 7	`0x1156d71de6ef7dc15fe71ec41d8577ee6e5e665d`	`0x84477b9396c0f20315f20bf4a293e2b979acf944`
0.3% / rev. 7	`0xbc732b1323aac46cb116b98df187c7fdbd53a5ee`	`0xa6e6e8099aef40d404f747519ee8adb8b82749f9`
1% / rev. 7	`0x92175baed829eccc794b95f392aa4db1fd914599`	`0x03f0177936a3118883a4b039bbb778600d929bcc`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0x48362fc32a774cefbbc61fd3c33fa23419ad9d7f`
AMM swap router	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`
AMM factory	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

HyperEVM | Current AMM contracts

Network field	Value
Chain ID	999
Native asset	HYPE; 18 decimals
DEX enabled	True
RPC	https://rpc.hyperliquid.xyz/evm
Explorer	https://hyperevmscan.io
Wrapped native token	`0x5555555555555555555555555555555555555555`

Contract role	Current address
CookDEX V2 AMM factory	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`
CookDEX V2 Swap router	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
CookDEX V3 AMM factory	`0x028581ea934d06cce20cc582b57b89ea1c0449d1`
CookDEX V3 Swap router	`0xb2ba1249710e09d21bb01c5773cabc414d1ba485`
CookDEX V3 NFT position manager	`0x1da528f72c0410fcc05625235af0cee9dc2b7d14`
CookDEX V3 Quoter	`0x6ec2ca0fc70be45fed83ff9662485e9fee0ae15f`
CookDEX V3 Quoter V2	`0xfed19c0a975ffcf12f9d3c2412a487dd16710282`

V2: RPC factory match; chain ID confirmed.

V3: RPC factory match; chain ID confirmed.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on HyperEVM

HyperEVM | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0xbaa02841530d89bd379f80245d3047a0537ab25b`
Dedicated curve trade router	No dedicated router configured; curve trades execute directly
Migration AMM router	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
Migration AMM factory	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`
Liquidity lock / burn vault	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0xebbe6f90c6491e3e4b1a210210f40e87313b0cbe`	`0xe63d91da8b7bd6280b64948d1a45003e573db1bb`
0.05% / rev. 7	`0x8dc6a944ea3ae4cec14119b90a54b5c512cd69e3`	`0x44fd7f6cce29e9831696461ad1446187824ae978`
0.1% / rev. 7	`0x570055dcbf3c7ab2b21a37a8aae776719eb402c6`	`0x42995b215c1379c7a7de8e15edb701cf42ce71f9`
0.3% / rev. 7	`0xda24f7e55673d219a87e3c76852bd1c6332c5753`	`0x8851d83af77f851839f411e7d6d09e99572bd5dd`
1% / rev. 7	`0x2729cb4ae1503483e27f85ddb877715bd962c888`	`0x4256042944035dfe7318f8299b85f6279c425d6e`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0x1da528f72c0410fcc05625235af0cee9dc2b7d14`
AMM swap router	`0xb2ba1249710e09d21bb01c5773cabc414d1ba485`
AMM factory	`0x028581ea934d06cce20cc582b57b89ea1c0449d1`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

Linea | Current AMM contracts

Network field	Value
Chain ID	59144
Native asset	ETH; 18 decimals
DEX enabled	True
RPC	https://rpc.linea.build/
Explorer	https://lineascan.build
Wrapped native token	`0xe5D7C2a44FfDDf6b295A15c148167daaAf5Cf34f`

Contract role	Current address
CookDEX V2 AMM factory	`0x42995b215c1379c7a7de8e15edb701cf42ce71f9`
CookDEX V2 Swap router	`0x570055dcbf3c7ab2b21a37a8aae776719eb402c6`
CookDEX V3 AMM factory	`0x0c5100f85e057f2ea46c1f829951c4052a414e32`
CookDEX V3 Swap router	`0xa6753a1ea3d80b1b261a32cb0c1150925d8860f2`
CookDEX V3 NFT position manager	`0x7486da6c227081f805605091e35209dfd61b0eb5`
CookDEX V3 Quoter	`0x19a8a30527f4fafd359952ff42b528211948fb92`
CookDEX V3 Quoter V2	`0xdcca0bf6bf43fc78e011064db2ef055e6e82020c`

V2: Configured address; RPC factory check unavailable in this run.

V3: Configured address; RPC factory check unavailable in this run.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Linea

Linea | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0xb82e1234a2f3f01888761bd7a53d0fe02a92514f`
Dedicated curve trade router	No dedicated router configured; curve trades execute directly
Migration AMM router	`0x570055dcbf3c7ab2b21a37a8aae776719eb402c6`
Migration AMM factory	`0x42995b215c1379c7a7de8e15edb701cf42ce71f9`
Liquidity lock / burn vault	`0x9256d90dcbc64d0bd7cd1662a9135639b2a638f7`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0x85dde7cd5825296556fd71bc4e55748ab94aceda`	`0xcb902d115b95e18b8f72bf339145e0fc7afd1e1c`
0.05% / rev. 7	`0x5770b2a9b539dc7efdada3fa1811a253775ebcd2`	`0x57b1b55f3e3869c539ac0ca692ad66e0abddd5d4`
0.1% / rev. 7	`0x1156d71de6ef7dc15fe71ec41d8577ee6e5e665d`	`0x84477b9396c0f20315f20bf4a293e2b979acf944`
0.3% / rev. 7	`0xbc732b1323aac46cb116b98df187c7fdbd53a5ee`	`0xa6e6e8099aef40d404f747519ee8adb8b82749f9`
1% / rev. 7	`0x92175baed829eccc794b95f392aa4db1fd914599`	`0x03f0177936a3118883a4b039bbb778600d929bcc`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0x7486da6c227081f805605091e35209dfd61b0eb5`
AMM swap router	`0xa6753a1ea3d80b1b261a32cb0c1150925d8860f2`
AMM factory	`0x0c5100f85e057f2ea46c1f829951c4052a414e32`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

Monad | Current AMM contracts

Network field	Value
Chain ID	143
Native asset	MON; 18 decimals
DEX enabled	True
RPC	https://rpc.monad.xyz/
Explorer	https://monadscan.com
Wrapped native token	`0x3bd359C1119dA7Da1D913D1C4D2B7c461115433A`

Contract role	Current address
CookDEX V2 AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
CookDEX V2 Swap router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
CookDEX V3 AMM factory	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`
CookDEX V3 Swap router	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
CookDEX V3 NFT position manager	`0x144a03091e506336c822784c80c22bcc28e3254b`
CookDEX V3 Quoter	`0x4256042944035dfe7318f8299b85f6279c425d6e`
CookDEX V3 Quoter V2	`0x2729cb4ae1503483e27f85ddb877715bd962c888`

V2: RPC factory match; chain ID confirmed.

V3: RPC factory match; chain ID confirmed.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Monad

Monad | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0x191fafff893b2ddd87978676e5ebaa4e7631f3e7`
Dedicated curve trade router	`0x44fd7f6cce29e9831696461ad1446187824ae978`
Migration AMM router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
Migration AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
Liquidity lock / burn vault	`0x8e9f31885196597430e40db5992fa43acd2664f5`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0xb18161e05e46f0d0e0cc95c1cfeb4f03bd4fa11d`	`0x121a7e130da6403743ae514a9a093fe8e716e549`
0.05% / rev. 7	`0x59caeccb99fd400c0cecb32f1ac684f1772e5507`	`0x7486da6c227081f805605091e35209dfd61b0eb5`
0.1% / rev. 7	`0xedf36e8ad12f88d159aa8abac7783910a2981d64`	`0x40ee973863886c21a49e83c8abf184b8f6932e75`
0.3% / rev. 7	`0xa6753a1ea3d80b1b261a32cb0c1150925d8860f2`	`0x0c5100f85e057f2ea46c1f829951c4052a414e32`
1% / rev. 7	`0xe9928ef0da897bd21ae7e530d27ca390569830e2`	`0xa315115f6ce2490a6c79d2108a6c8837ad5dd480`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0x144a03091e506336c822784c80c22bcc28e3254b`
AMM swap router	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
AMM factory	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

Optimism | Current AMM contracts

Network field	Value
Chain ID	10
Native asset	ETH; 18 decimals
DEX enabled	True
RPC	https://mainnet.optimism.io/
Explorer	https://optimistic.etherscan.io
Wrapped native token	`0x4200000000000000000000000000000000000006`

Contract role	Current address
CookDEX V2 AMM factory	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
CookDEX V2 Swap router	`0x5264f98afc705042ca049fa4a83578cde9b4e3da`
CookDEX V3 AMM factory	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`
CookDEX V3 Swap router	`0xbaa02841530d89bd379f80245d3047a0537ab25b`
CookDEX V3 NFT position manager	`0xc70abfcb74b7680aa7e9846410d59a2bb1f78f96`
CookDEX V3 Quoter	`0xa6753a1ea3d80b1b261a32cb0c1150925d8860f2`
CookDEX V3 Quoter V2	`0x121a7e130da6403743ae514a9a093fe8e716e549`

V2: RPC factory match; chain ID confirmed.

V3: RPC factory match; chain ID confirmed.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Optimism

Optimism | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0x9256d90dcbc64d0bd7cd1662a9135639b2a638f7`
Dedicated curve trade router	`0x7486da6c227081f805605091e35209dfd61b0eb5`
Migration AMM router	`0x5264f98afc705042ca049fa4a83578cde9b4e3da`
Migration AMM factory	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
Liquidity lock / burn vault	`0x9fbfea94dcb78a0f20a09755dcd673ad5f5a2999`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0x85dde7cd5825296556fd71bc4e55748ab94aceda`	`0xcb902d115b95e18b8f72bf339145e0fc7afd1e1c`
0.05% / rev. 7	`0x5770b2a9b539dc7efdada3fa1811a253775ebcd2`	`0x57b1b55f3e3869c539ac0ca692ad66e0abddd5d4`
0.1% / rev. 7	`0x1156d71de6ef7dc15fe71ec41d8577ee6e5e665d`	`0x84477b9396c0f20315f20bf4a293e2b979acf944`
0.3% / rev. 7	`0xbc732b1323aac46cb116b98df187c7fdbd53a5ee`	`0xa6e6e8099aef40d404f747519ee8adb8b82749f9`
1% / rev. 7	`0x92175baed829eccc794b95f392aa4db1fd914599`	`0x03f0177936a3118883a4b039bbb778600d929bcc`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0xc70abfcb74b7680aa7e9846410d59a2bb1f78f96`
AMM swap router	`0xbaa02841530d89bd379f80245d3047a0537ab25b`
AMM factory	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

Polygon | Current AMM contracts

Network field	Value
Chain ID	137
Native asset	POL; 18 decimals
DEX enabled	True
RPC	https://polygon-bor-rpc.publicnode.com/
Explorer	https://polygonscan.com
Wrapped native token	`0x0d500B1d8E8eF31E21C99d1Db9A6444d3ADf1270`

Contract role	Current address
CookDEX V2 AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
CookDEX V2 Swap router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
CookDEX V3 AMM factory	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
CookDEX V3 Swap router	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`
CookDEX V3 NFT position manager	`0x48362fc32a774cefbbc61fd3c33fa23419ad9d7f`
CookDEX V3 Quoter	`0x9d7f9149957a5713676333ddb58f4e4b6f023755`
CookDEX V3 Quoter V2	`0x086cf2482f13bfcaad24ae55ae083f02ffbd8ef4`

V2: Configured address; RPC factory check unavailable in this run.

V3: Configured address; RPC factory check unavailable in this run.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Polygon

Polygon | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0x1507fc46ba8284d749cd21eaf164a2df070b9181`
Dedicated curve trade router	`0xa315115f6ce2490a6c79d2108a6c8837ad5dd480`
Migration AMM router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
Migration AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
Liquidity lock / burn vault	`0x4c1044fbd545f860b68bb307b2acc6c704329f4a`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0x7ec3836d299867f2276948e38766cad22c38c84d`	`0xd6a2494cc2484b4bf269e57c852f62f819a21880`
0.05% / rev. 7	`0xc3ccbadec12b3877c193846608d494ea3b1a7fc6`	`0xfe18b129f892aa8ac6a3087dcacbfbab302c834a`
0.1% / rev. 7	`0x7ad0229e231e9168c618cbc31b7c22f00d44e24b`	`0xe078acccf91da406db4cc8beecaa9e97dd737d57`
0.3% / rev. 7	`0x77f545496020c26d4a5bb8c9deb4d4f0d3dfa3f6`	`0x90fb0e289bfb5ce3f129847c8666f267f2d7f07a`
1% / rev. 7	`0x04b456f41daf49e3f21cb514ad0c35fe2ada70e0`	`0x69160216c165663274dd3bea215cc17fa9eb0616`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0x48362fc32a774cefbbc61fd3c33fa23419ad9d7f`
AMM swap router	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`
AMM factory	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

Robinhood Chain | Current AMM contracts

Network field	Value
Chain ID	4663
Native asset	ETH; 18 decimals
DEX enabled	True
RPC	https://rpc.mainnet.chain.robinhood.com/
Explorer	https://robinhoodchain.blockscout.com
Wrapped native token	`0x0Bd7D308f8E1639FAb988df18A8011f41EAcAD73`

Contract role	Current address
CookDEX V2 AMM factory	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`
CookDEX V2 Swap router	`0x1ef53b37a0913834498b640f4b626a2c2e5be0f5`
CookDEX V3 AMM factory	`0x028581ea934d06cce20cc582b57b89ea1c0449d1`
CookDEX V3 Swap router	`0xb2ba1249710e09d21bb01c5773cabc414d1ba485`
CookDEX V3 NFT position manager	`0x1da528f72c0410fcc05625235af0cee9dc2b7d14`
CookDEX V3 Quoter	`0x1d3bf8cdbed2fbf4375baadf3b4b59d2305e2f21`
CookDEX V3 Quoter V2	`0x660aa6691caad894ebb264bcc0566feaaceaa528`

V2: Configured address; RPC factory check unavailable in this run.

V3: Configured address; RPC factory check unavailable in this run.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Robinhood Chain

Robinhood Chain | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0x9dac54f9ae648ce46a92aacf28d2a58904178fb9`
Dedicated curve trade router	`0x016ba57bac7b1e1f9d9f61c27d2d2e54f02a7035`
Migration AMM router	`0x1ef53b37a0913834498b640f4b626a2c2e5be0f5`
Migration AMM factory	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`
Liquidity lock / burn vault	`0x1613d9683d735f9d472769027ac0d8aec7284625`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0xc7bdf3a30427baa7e6d451423bdb10a763386c4b`	`0xbde538674ed0b08489022592f951e8e3d24db138`
0.05% / rev. 7	`0x00b3f2d6ca1698d4ca1c7f60ffc4d23fc6441a5e`	`0x06a3476f96546542ad45327766c20a9bda1bdd53`
0.1% / rev. 7	`0x6a61843bf3169533942341c7e07537072e8ad9a0`	`0x9d2fdbb56f6056297892053c150992379952d343`
0.3% / rev. 7	`0xec10cc33de51f7cf9ac48ad28d6862ecf474fd91`	`0x5387b492c977e370f144b40d5acfb0e32433957b`
1% / rev. 7	`0xbbb0e053d62f0679a8ee6d91ad6af4e38a80a920`	`0xa439218f0387fbd333d5d87055b47bef1faa1b93`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0x1da528f72c0410fcc05625235af0cee9dc2b7d14`
AMM swap router	`0xb2ba1249710e09d21bb01c5773cabc414d1ba485`
AMM factory	`0x028581ea934d06cce20cc582b57b89ea1c0449d1`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

Sonic | Current AMM contracts

Network field	Value
Chain ID	146
Native asset	S; 18 decimals
DEX enabled	True
RPC	https://rpc.soniclabs.com/
Explorer	https://sonicscan.org
Wrapped native token	`0x039e2fB66102314Ce7b64Ce5Ce3E5183bc94aD38`

Contract role	Current address
CookDEX V2 AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
CookDEX V2 Swap router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
CookDEX V3 AMM factory	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
CookDEX V3 Swap router	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`
CookDEX V3 NFT position manager	`0x48362fc32a774cefbbc61fd3c33fa23419ad9d7f`
CookDEX V3 Quoter	`0x84477b9396c0f20315f20bf4a293e2b979acf944`
CookDEX V3 Quoter V2	`0x1156d71de6ef7dc15fe71ec41d8577ee6e5e665d`

V2: RPC factory match; chain ID confirmed.

V3: RPC factory match; chain ID confirmed.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Sonic

Sonic | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0x9d7f9149957a5713676333ddb58f4e4b6f023755`
Dedicated curve trade router	`0xedf36e8ad12f88d159aa8abac7783910a2981d64`
Migration AMM router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
Migration AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
Liquidity lock / burn vault	`0x00454fe8115947d40d03920ed04a841c6afa4b08`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0xa3645d0d1869ec4a938076589ebe0047e2427ba4`	`0x6303bfbc668ce916c7c9b40d6b67889d28a6cf4c`
0.05% / rev. 7	`0x4c1044fbd545f860b68bb307b2acc6c704329f4a`	`0x267121901a9100c7e950dd71bdea3bcb34cc9e2c`
0.1% / rev. 7	`0x3a0195e8d40b9dfb45aae4d55859b80721ca8be2`	`0x1507fc46ba8284d749cd21eaf164a2df070b9181`
0.3% / rev. 7	`0xe8833c9eb0aeabcc444e48cb882fe6bebf1988d5`	`0x6551d2e59d4fe354c83bf553287ed7323be078a8`
1% / rev. 7	`0x77f545496020c26d4a5bb8c9deb4d4f0d3dfa3f6`	`0x90fb0e289bfb5ce3f129847c8666f267f2d7f07a`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0x48362fc32a774cefbbc61fd3c33fa23419ad9d7f`
AMM swap router	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`
AMM factory	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

Unichain | Current AMM contracts

Network field	Value
Chain ID	130
Native asset	ETH; 18 decimals
DEX enabled	True
RPC	https://mainnet.unichain.org/
Explorer	https://uniscan.xyz
Wrapped native token	`0x4200000000000000000000000000000000000006`

Contract role	Current address
CookDEX V2 AMM factory	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`
CookDEX V2 Swap router	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
CookDEX V3 AMM factory	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`
CookDEX V3 Swap router	`0x1ef53b37a0913834498b640f4b626a2c2e5be0f5`
CookDEX V3 NFT position manager	`0xbaa02841530d89bd379f80245d3047a0537ab25b`
CookDEX V3 Quoter	`0xf2e097c3357347db7b145f1ccdbe06ea233e752a`
CookDEX V3 Quoter V2	`0x6ec2ca0fc70be45fed83ff9662485e9fee0ae15f`

V2: Configured address; RPC factory check unavailable in this run.

V3: Configured address; RPC factory check unavailable in this run.

Native block rewards on this foreign chain are governed by its own protocol; no fixed CookDEX reward is asserted.

Open CookSwap on Unichain

Unichain | EasyLaunch curve deployments

V2 destination - current launch factory

Role	Address
EasyLaunch factory (revision 6)	`0x8851d83af77f851839f411e7d6d09e99572bd5dd`
Dedicated curve trade router	No dedicated router configured; curve trades execute directly
Migration AMM router	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
Migration AMM factory	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`
Liquidity lock / burn vault	`0xfed19c0a975ffcf12f9d3c2412a487dd16710282`

Recorded source status: verified; deployment transaction is linked below.

V2 launch factory deployment receipt

V3 destination - current fee-tier factories

Fee / revision	Launch factory	Lock / burn vault
0.01% / rev. 7	`0x44fd7f6cce29e9831696461ad1446187824ae978`	`0xebbe6f90c6491e3e4b1a210210f40e87313b0cbe`
0.05% / rev. 7	`0x42995b215c1379c7a7de8e15edb701cf42ce71f9`	`0x8dc6a944ea3ae4cec14119b90a54b5c512cd69e3`
0.1% / rev. 7	`0x4256042944035dfe7318f8299b85f6279c425d6e`	`0x570055dcbf3c7ab2b21a37a8aae776719eb402c6`
0.3% / rev. 7	`0xe63d91da8b7bd6280b64948d1a45003e573db1bb`	`0xda24f7e55673d219a87e3c76852bd1c6332c5753`
1% / rev. 7	`0x8e9f31885196597430e40db5992fa43acd2664f5`	`0x2729cb4ae1503483e27f85ddb877715bd962c888`

V3 launch router() stores the migration position manager, not a pre-migration AMM swap router. Current V3 curve trading is direct unless a dedicated tradeRouter is configured.

V3 migration role	Address
NFT position manager	`0xbaa02841530d89bd379f80245d3047a0537ab25b`
AMM swap router	`0x1ef53b37a0913834498b640f4b626a2c2e5be0f5`
AMM factory	`0xeb812c7c1487f897321e2f3d678ca2b48c53442d`

Only current slots are shown. The fee tier is the destination V3 pool fee, not a claim about curve trade fees. Source links are available by clicking each contract address.

System curves: discovery and trading roles

The following sheets contain the 14 currently published system curve markets. Existing published contracts are retained even when their migration target belongs to an earlier deployment. This is the address required to index that live curve; it is not listed as the current normal AMM deployment.

The Curve / direct trade contract is the address that receives pre-migration buy/sell calls. Its factory() is the curve discovery factory where confirmed; it is distinct from the migration AMM factory. The migration AMM router and factory fields below come from the deployed curve setup record. A missing discovery field is resolved by the read-only curve factory() result when available. Earlier directly deployed curves can have no separate discovery factory and may not implement factory(); submit their explicit curve address.

wCOOK is the chain-specific token. The quote-token address is included for pair matching. Never treat a bridge vault as the Cookchain wCOOK ERC-20 token. Real collateral and virtual pricing reserves must remain separate in market-data integrations.

Cookchain | System curve wCOOK/USDC

Contract role	Address
Curve / direct trade contract	`0xec3adb83b157629fa0f3c166d34171293ede505a`
Discovery factory	No separate discovery factory recorded (legacy direct deployment)
wCOOK token contract	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
Quote token contract	`0xa28324ec703c1620ae798b1cd540bb90a2712d4a`
Deployed migration AMM router	`0x086cf2482f13bfcaad24ae55ae083f02ffbd8ef4`
Deployed migration AMM factory	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`

Chain ID: 20261001 | Catalog status: active | Discovery source: not recorded / not confirmed

Creation block: Not recorded | Recorded token decimals: 18 | Quote decimals: 6

Saved verification records: curve=verified, token=verified

Deployment evidence

deploy - 0xda0da3408e1028decb5df655ddfcd73d6cd2ca835d57dca73d36e1b34bcec907

approve funding - 0xdbf2b2a07fffb37b4fa6f9919f5f40866b3ea274e1a7bb17493ea278a71c4b3d

fund - 0xa5eccfd24ccf9131de1a263d001b3ad1fcbf72a388e73476cf8729e1c5a17d84

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

Arbitrum | System curve wCOOK/WETH

Contract role	Address
Curve / direct trade contract	`0x03a624fb9c0e43a28a3ce82aea3aeb7627e6f8b7`
Discovery factory	`0x016ba57bac7b1e1f9d9f61c27d2d2e54f02a7035`
wCOOK token contract	`0xf62df06e93340c8f632b0691f444a159d0cddcaa`
Quote token contract	`0x82af49447d8a07e3bd95bd0d56f35241523fbab1`
Deployed migration AMM router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
Deployed migration AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`

Chain ID: 42161 | Catalog status: active | Discovery source: deployment record

Creation block: 512648296 | Recorded token decimals: 18 | Quote decimals: 18

Saved verification records: token=verified, factory=verified, curve=verified

Deployment evidence

deploy discovery factory - 0xafbe0d983f05255ce4088efe15047d789226b918eed24120389ece53f8103e20

create curve - 0x250001dddb23d8d730d497f109b210fd4e403f1c1cfa59f61f46a4a261f0b3d6

approve funding - 0x423cf39fbc13c249101ad039823d1e1e78c590f9c59daa0b2a5ad6d72ab85aa1

fund - 0xf2d7c5dfc095f3aa1e7f04b73e24ac9b06faa1ef568a0941f5daa8485c1e422f

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

Arc | System curve wCOOK/USDC

Contract role	Address
Curve / direct trade contract	`0x5c5af75ae24497a4ad8af00e361ae8ceb5272a88`
Discovery factory	`0x267121901a9100c7e950dd71bdea3bcb34cc9e2c`
wCOOK token contract	`0xf1df4d18da9d31cbed16a7b1ef6846f77cf69ce0`
Quote token contract	`0x3600000000000000000000000000000000000000`
Deployed migration AMM router	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
Deployed migration AMM factory	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`

Chain ID: 5042 | Catalog status: active | Discovery source: deployment record

Creation block: 24239172 | Recorded token decimals: 18 | Quote decimals: 6

Saved verification records: factory=verified, curve=verified, token=verified

Deployment evidence

deploy discovery factory - 0xb6410d624500dee9e3e57d101c47435e4175cba6432ff58d7c1e3ff26c8bfc68

create curve - 0x658d71a602cceeb65240d7df7028b537519c33e5d2cb5a284250029e1e748155

approve funding - 0x198a78b35f9276ffdbae36a554f910ba52a671e616bcd08f7914660b51178304

fund - 0xa49e157a703f8390a1c3fafd6091f9bdffd48d7ee005ac3506cbed4669311ff8

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

Avalanche | System curve wCOOK/WAVAX

Contract role	Address
Curve / direct trade contract	`0x3fc26e7ecad7e7f2626373b5787b417be8a2d5d0`
Discovery factory	`0x84477b9396c0f20315f20bf4a293e2b979acf944`
wCOOK token contract	`0x130890d3fa866392edd99976e8f86bad9da6aff8`
Quote token contract	`0xb31f66aa3c1e785363f0875a1b74e27b85fd66c7`
Deployed migration AMM router	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`
Deployed migration AMM factory	`0x790919e9ea6ac73595e31ad5c05db8ea5126580e`

Chain ID: 43114 | Catalog status: active | Discovery source: deployment record

Creation block: 96743710 | Recorded token decimals: 18 | Quote decimals: 18

Saved verification records: factory=verified, curve=verified, token=verified

Deployment evidence

deploy discovery factory - 0xb5dfd7807f0682c7bf78072970f615c71439823568e2d9a6dfe738445716c691

create curve - 0x344b0c77b823b073d5e8da29056983c7fd899824f5475614afb7bc1150f3f3bb

approve funding - 0xea5eaa6f903a3f9e49bab0681fb7f5c54868d93ccca00806a9317876d344e93f

fund - 0x6435be8e16ae2d8670e942c93728ff4a59cf188619aa660ebb4a1cb1ab4ec8ba

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

Base | System curve wCOOK/WETH

Contract role	Address
Curve / direct trade contract	`0xfe18b129f892aa8ac6a3087dcacbfbab302c834a`
Discovery factory	No separate discovery factory recorded (legacy direct deployment)
wCOOK token contract	`0xfad5552b3bc8c62d66745e69485f33b81673fd6c`
Quote token contract	`0x4200000000000000000000000000000000000006`
Deployed migration AMM router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
Deployed migration AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`

Chain ID: 8453 | Catalog status: active | Discovery source: not recorded / not confirmed

Creation block: Not recorded | Recorded token decimals: 18 | Quote decimals: 18

Saved verification records: curve=verified, token=verified

Deployment evidence

deploy - 0xe3fd6645620990a102b1dead4b5727a90a8da0c4f79dffd197cf05066dfc5eec

approve funding - 0x30b5c0310f5f439574d6c82cb5f5c52ae92679debed000e141db7134409d0ee7

fund - 0x2d93b18277c2212218cd8d3c9894afa4cacde079ad1711bf21636c7fbbe9bf96

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

Blast | System curve wCOOK/WETH

Contract role	Address
Curve / direct trade contract	`0xdcca0bf6bf43fc78e011064db2ef055e6e82020c`
Discovery factory	No separate discovery factory recorded (legacy direct deployment)
wCOOK token contract	`0xfad5552b3bc8c62d66745e69485f33b81673fd6c`
Quote token contract	`0x4300000000000000000000000000000000000004`
Deployed migration AMM router	`0x5264f98afc705042ca049fa4a83578cde9b4e3da`
Deployed migration AMM factory	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`

Chain ID: 81457 | Catalog status: active | Discovery source: not recorded / not confirmed

Creation block: 41151468 | Recorded token decimals: 18 | Quote decimals: 18

Saved verification records: curve=verified, token=verified

Deployment evidence

deploy - 0xfe3acc4164eafd203e1e715dff4fbde79b4cdcd505efc01ee4f01ba26f3acc7f

approve funding - 0x546c94584e1008d386f1e87944192a1e2dcca35228e7fede95d8b3e6defc7d5f

fund - 0xf8cf487f6e2eb6fc712bb6ce84205493915239c11cee4b4d020b938229b7049f

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

BNB Chain | System curve wCOOK/WBNB

Contract role	Address
Curve / direct trade contract	`0x81214a8ddce2fb44d4bd39d68843d8608c6b1d56`
Discovery factory	`0x34947cb8a52bb35eef8fb55e00a6f3b7aa137c49`
wCOOK token contract	`0x85dec769279e1303a6c4479beb3a578397024f44`
Quote token contract	`0xbb4cdb9cbd36b01bd1cbaebf2de08d9173bc095c`
Deployed migration AMM router	`0xbaa02841530d89bd379f80245d3047a0537ab25b`
Deployed migration AMM factory	`0xf40bef79cd4cba221646ec21bb1277bccc9aab82`

Chain ID: 56 | Catalog status: active | Discovery source: deployment record

Creation block: 125702414 | Recorded token decimals: 18 | Quote decimals: 18

Saved verification records: factory=verified, curve=verified, token=verified

Deployment evidence

deploy discovery factory - 0x39cc8a56d00f2f31119d7f36da182524ba0c44966491c4bafc0b53cd091a4312

create curve - 0xb14a6b3ed7508a3585daa0ad87dce87cd598f249be103ffc7846cb63631e06b1

approve funding - 0xf07354191a3bae3dc00949317d8ccb518dab22dd2a76d5d2844fc1cbfbd40625

fund - 0x2fc8cd037978f95eb023cc5c64bc7c74319ceb3b6cd98e8dba555918430e99b4

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

BNB Chain | System curve wCOOK/WBNB

Contract role	Address
Curve / direct trade contract	`0xc65a4c710693978d5471903462863f9f11e0a05c`
Discovery factory	No separate discovery factory recorded (legacy direct deployment)
wCOOK token contract	`0x85dec769279e1303a6c4479beb3a578397024f44`
Quote token contract	`0xbb4cdb9cbd36b01bd1cbaebf2de08d9173bc095c`
Deployed migration AMM router	`0x10ed43c718714eb63d5aa57b78b54704e256024e`
Deployed migration AMM factory	`0xca143ce32fe78f1f7019d7d551a6402fc5350c73`

Chain ID: 56 | Catalog status: active | Discovery source: not recorded / not confirmed

Creation block: 125660160 | Recorded token decimals: 18 | Quote decimals: 18

Saved verification records: curve=verified, token=verified

Deployment evidence

deploy - 0xc9324ba5fe83445b74bfe9e423cb216ce88daf97c458922c3ce02d9fe2d728df

approve funding - 0x0cbfd9df1a97c5354eebf65d9bdd0893868561b1a69f63b4a4ddc4e5abc0ade1

fund - 0xad67e9bcf75454769c41d42c167d5fbabf100478860d172fb0af1f93c47c0e37

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

HyperEVM | System curve wCOOK/WHYPE

Contract role	Address
Curve / direct trade contract	`0x90c66cf688d52604cc08a89484d3efd637995f2a`
Discovery factory	`0x9fbfea94dcb78a0f20a09755dcd673ad5f5a2999`
wCOOK token contract	`0x327f195c268aa3910c6b4c15360b92b924724d0a`
Quote token contract	`0x5555555555555555555555555555555555555555`
Deployed migration AMM router	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
Deployed migration AMM factory	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`

Chain ID: 999 | Catalog status: active | Discovery source: deployment record

Creation block: 47810372 | Recorded token decimals: 18 | Quote decimals: 18

Saved verification records: factory=verified, curve=verified, token=verified

Deployment evidence

deploy discovery factory - 0xe69a87d06fec4cb94f820f89ab986577f190605c75e8b311278bd1e18f3bfa46

create curve - 0xf369ff4ba78c88c0b913f4b402c02df002eca24858568fa3d7070924f9a34bbd

approve funding - 0x0f6335879a5836531e00c4b63f559e7f4e0c0e875d984188a6d6c3d22d7216a8

fund - 0x20e2713708a6016fbc04f9de58c96aaf681b0ab7a57c2c0fa3784cd63154877d

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

Optimism | System curve wCOOK/WETH

Contract role	Address
Curve / direct trade contract	`0x9e235c7a201b27eb3cdf60556b55e322ba414d09`
Discovery factory	`0x6303bfbc668ce916c7c9b40d6b67889d28a6cf4c`
wCOOK token contract	`0xf1df4d18da9d31cbed16a7b1ef6846f77cf69ce0`
Quote token contract	`0x4200000000000000000000000000000000000006`
Deployed migration AMM router	`0x5264f98afc705042ca049fa4a83578cde9b4e3da`
Deployed migration AMM factory	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`

Chain ID: 10 | Catalog status: active | Discovery source: deployment record

Creation block: 157906511 | Recorded token decimals: 18 | Quote decimals: 18

Saved verification records: token=verified, factory=verified, curve=verified

Deployment evidence

deploy discovery factory - 0xfaf43083798dca5f4b149df33d82c3115eb8e8e606d10a31e48b1d821c53b882

create curve - 0x367443c9a4d5f4b83141fd5e6f236784dde96c09b24d851f89f8d9867cee73dc

approve funding - 0x49c537b585ff597edbc84d1d448017e8ceacc03b83b4557fb648491b310e7d7c

fund - 0x765af340c696552987fcc8bc268dbf6c812cffbe0770adfd680e3a0923b7ec54

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

Polygon | System curve wCOOK/WPOL

Contract role	Address
Curve / direct trade contract	`0xc3a92ac008afe318d6a75a09979ccf94dc055560`
Discovery factory	`0xa6e6e8099aef40d404f747519ee8adb8b82749f9`
wCOOK token contract	`0xf62df06e93340c8f632b0691f444a159d0cddcaa`
Quote token contract	`0x0d500b1d8e8ef31e21c99d1db9a6444d3adf1270`
Deployed migration AMM router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
Deployed migration AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`

Chain ID: 137 | Catalog status: active | Discovery source: deployment record

Creation block: 94940192 | Recorded token decimals: 18 | Quote decimals: 18

Saved verification records: factory=verified, curve=verified, token=verified

Deployment evidence

deploy discovery factory - 0x9c7e87daaba608d2b928a6e431170d0883ee905687b7d3527a358c29f8a43d13

create curve - 0xcb86e1fb46e54ebbb52fb3b7ea9aa74e78545b2d7adbe68fc0db214f13136046

approve funding - 0xf0c68b6948a4088d1ae1e631fac3ee5637edab6d2475bc64ef441e4265243966

fund - 0xe0b47d4eb83140e4a129d02aa07a581d6dbd8994bdebbd6fb70221569775f1ca

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

Robinhood Chain | System curve wCOOK/WETH

Contract role	Address
Curve / direct trade contract	`0xd10c480743c01522dfaa2f63ada22598cf9ecf29`
Discovery factory	No separate discovery factory recorded (legacy direct deployment)
wCOOK token contract	`0xbe602d85593638894bd492cac1591afe7d92919d`
Quote token contract	`0x0bd7d308f8e1639fab988df18a8011f41eacad73`
Deployed migration AMM router	`0x89e5db8b5aa49aa85ac63f691524311aeb649eba`
Deployed migration AMM factory	`0x8bceaa40b9acdfaedf85adf4ff01f5ad6517937f`

Chain ID: 4663 | Catalog status: active | Discovery source: not recorded / not confirmed

Creation block: 79866674 | Recorded token decimals: 18 | Quote decimals: 18

Saved verification records: curve=verified, token=verified

Deployment evidence

deploy - 0x15a711051c8ac2867b0525a5a7e8385c587edbc1b64254916c5990a43cd4454e

approve funding - 0x32d4e5f48a53a1a11a907f11ee981ffca07bdff749ef27b05c7e1bc7f8ec57c6

fund - 0x78339b70b799b92ff9db78ff68e4b2f4976be12d5a5cfc74306c50f152cbc531

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

Sonic | System curve wCOOK/wS

Contract role	Address
Curve / direct trade contract	`0xb82e1234a2f3f01888761bd7a53d0fe02a92514f`
Discovery factory	No separate discovery factory recorded (legacy direct deployment)
wCOOK token contract	`0x14f68f3753d179a8da17d85e2f54445a416e925e`
Quote token contract	`0x039e2fb66102314ce7b64ce5ce3e5183bc94ad38`
Deployed migration AMM router	`0x1bc619b7f70d2537daeeb30d4098cc9b7e32e9aa`
Deployed migration AMM factory	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`

Chain ID: 146 | Catalog status: active | Discovery source: not recorded / not confirmed

Creation block: 80336360 | Recorded token decimals: 18 | Quote decimals: 18

Saved verification records: curve=verified, token=verified

Deployment evidence

deploy - 0x11baa0f325513c3f201f09251052e26d922efad6b6085ea0778855541d840ce0

approve funding - 0xc684d9d90a9e43c28ad97a98b3e22bfa693febde0829064a4ac5666bd5eaba90

fund - 0xbb0e542e478c713be7d9b9810b5882b0242c6ba9547012ce0f99169c60e48deb

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

Unichain | System curve wCOOK/WETH

Contract role	Address
Curve / direct trade contract	`0x90c66cf688d52604cc08a89484d3efd637995f2a`
Discovery factory	`0x9fbfea94dcb78a0f20a09755dcd673ad5f5a2999`
wCOOK token contract	`0x87c9c5dd1e8c6e64343ee7136a028a2a22b4a845`
Quote token contract	`0x4200000000000000000000000000000000000006`
Deployed migration AMM router	`0x3d4e8c0e5ccc479f2ac5e499d3c5805a52273430`
Deployed migration AMM factory	`0x0ab828aa68499b56e9a47df9c4f1f5da703ff751`

Chain ID: 130 | Catalog status: active | Discovery source: deployment record

Creation block: 60661058 | Recorded token decimals: 18 | Quote decimals: 18

Saved verification records: token=verified, factory=verified, curve=verified

Deployment evidence

deploy discovery factory - 0x7268a91f55a437ebfc35b97764bde32c4383fdc31588e736f11b92b63caa7630

create curve - 0xef8dc4fc8c9cc7bd72946b07f8477e17649c66c781db5048f5d02223947eb705

approve funding - 0x20c76e9e54a39da3b87ea3a72bd34a35d1572330ef41112be430a65653dd83ac

fund - 0x0a5306e2e1f196891db4d4713d0e7650857f9d266eebc785cef96112ec7e41a4

Trade this pair on CookSwap

Published virtual-liquidity values are price-model parameters. Index real reserves / collateral separately. The catalog may contain more than one active curve for the same token pair, as on BNB Chain; each curve address is a separate market.

Official wCOOK token contracts

Current official origin and bridged representations. The Cookchain origin is the wrapped COOK ERC-20; other listed tokens are bridged representations. The bridge vault address is not substituted for the Cookchain token.

Chain	Chain ID	wCOOK token contract
Cookchain	20261001	`0xf800bf07394e8290807b4ce579f4e9f99c3da869`
Arbitrum One	42161	`0xf62df06e93340c8f632b0691f444a159d0cddcaa`
Arc	5042	`0xf1df4d18da9d31cbed16a7b1ef6846f77cf69ce0`
Avalanche C-Chain	43114	`0x130890d3fa866392edd99976e8f86bad9da6aff8`
Base	8453	`0xfad5552b3bc8c62d66745e69485f33b81673fd6c`
Blast	81457	`0xfad5552b3bc8c62d66745e69485f33b81673fd6c`
BNB Smart Chain	56	`0x85dec769279e1303a6c4479beb3a578397024f44`
Fantom Opera	250	`0xa2b11f59be5b81970b21a76b657b60708c0dc905`
HyperEVM	999	`0x327f195c268aa3910c6b4c15360b92b924724d0a`
Linea	59144	`0x3cd633981b01a8341f59a015b3d5f00ee25af53d`
Monad	143	`0x56df9df1c148e5a146640965a0fd372c40faf2ad`
Optimism	10	`0xf1df4d18da9d31cbed16a7b1ef6846f77cf69ce0`
Polygon PoS	137	`0xf62df06e93340c8f632b0691f444a159d0cddcaa`
Robinhood	4663	`0xbe602d85593638894bd492cac1591afe7d92919d`
Sonic	146	`0x14f68f3753d179a8da17d85e2f54445a416e925e`
Unichain	130	`0x87c9c5dd1e8c6e64343ee7136a028a2a22b4a845`

Live official contract directory

Indexer guidance: AMMs and bonding curves

Normal AMM pools

For V2, discover pairs via the AMM factory and PairCreated logs. Track token0/token1, reserves, Swap/Sync/Mint/Burn events and LP supply. For V3, discover pools via PoolCreated and fee tiers. Track Initialize, Mint, Burn, Swap and Collect logs; maintain slot0, ticks and active liquidity. Position-manager NFTs describe V3 liquidity positions.

Curve discovery and trading

Curve discovery exposes a separate factory / PairCreated surface. EasyLaunch also emits LaunchCreated. Curve trades must be interpreted against the deployed revision ABI. A V3-target EasyLaunch can expose V2-style discovery and Swap/Sync events before migration; this does not make it a normal V2 AMM.

System curve implementations expose Trade and, in relevant revisions, V2-style Swap/Sync events. Use the exact deployed ABI to avoid counting both Trade and Swap as separate trades. Legacy system getReserves() may include virtual pricing reserves. Read realReserve or actual token balances for real backing; respect reserveMode/isVirtualLiquidity where present. Current indexed V3 launch sources distinguish real getReserves() from getVirtualReserves().

Migration

Capture Graduated / migration events and the resulting AMM pair or V3 pool. End the pre-migration curve market and start its AMM successor without duplicating volume. A pool exists only after its actual creation event/receipt; a launch fee selection alone is not evidence of a live V3 pool.

Historical start blocks

Use deployment receipts and their block numbers as the indexing start. System creation blocks are included when recorded. Normal AMM and EasyLaunch start blocks are not consistently retained in the exported current configuration; resolve them from explorer contract creation / receipts before choosing a backfill start. Missing fields are not assigned block zero as an asserted deployment block.

Listing submission notes and references

GeckoTerminal provides a dedicated EVM Chain/DEX listing route and factory/router update form. A standard fork submission uses its factory/router addresses; custom bonding curves can require a separate adapter and partner review. Submit AMM and curve families with the explicit reserve semantics in this package.

GeckoTerminal EVM Chain/DEX integration guide

GeckoTerminal request form

GeckoTerminal custom integration guidance

DEX Screener documents automatic token listing once a pool exists and has at least one transaction on a supported DEX. This does not independently add support for a new DEX or custom curve protocol. DEXTools likewise distinguishes discovery on supported DEXs from a new integration. The package does not certify admission by either service.

DEX Screener token listing

DEXTools token discovery guidance

DEXTools integration SDK / HTTP adapter

Additional submission fields

Provide the operator contact, official logo assets, complete deployed ABIs / verified source links, factory creation blocks and receipts, supported fee tiers, example funded markets and swap transactions, ownership/proxy controls, finality policy and RPC log-range limits. No contact address, audit certificate or indexer SLA is invented in this document.

API quick reference | DEX statistics

Public read-only JSON endpoint. No API key or wallet session is required by this route. It covers indexed CookDEX markets across chains, not only transactions executed through the CookSwap website. The endpoint has a 60-second application cache and HTTP Cache-Control: public, max-age=60, stale-while-revalidate=300.

GET https://cookdex.net/api/public/dex-statistics

```
curl -fsS "https://cookdex.net/api/public/dex-statistics"
```

```
curl -fsS "https://cookdex.net/api/public/dex-statistics" | jq .totals
```

Response field	Meaning
updatedAt	ISO timestamp of the response snapshot
scope	Indexed DEX market scope
totals	pools, volume24h (USD), swaps24h, liquidityUsd, curveRealUsd, volumeCoverage, swapCoverage
chains[]	Per-chain aggregate values; chain is the network key
pools[]	address, chain, protocol, token, volume24h, swaps24h, liquidityUsd and curveRealUsd
daily[] / history[]	Recent daily series and per-chain date summaries; inspect pricedSwaps when present
databaseStatus / source	Data origin and MySQL/fallback availability
historyCoverage	Human-readable historical coverage limitation
indexer	Pool cursors/historyComplete and factory discoveryComplete; errors may be reported

Coverage rules

Missing values may be null. Aggregate numeric values alone do not prove complete coverage. Check volumeCoverage and swapCoverage against pools, databaseStatus, historyCoverage and indexer progress. Zero volume is not proof of complete historical indexing. Virtual reserves are excluded from normal pool liquidity; real curve collateral is reported separately.

Example snapshot - not a promised live value

Sampled 2026-10-08T07:53:39.058Z


```
{ "totals": { "pools": 21, "volume24h": 2653263.25707415, "swaps24h": 9967, "liquidityUsd": 2314494.2650499265,
"curveRealUsd": 15.990607169113094, "volumeCoverage": 21, "swapCoverage": 21 }, "databaseStatus": "unavailable"
}
```

API quick reference | Pools and trade history

GET https://cookdex.net/api/pools/catalog

Response: {success: true, items: [...]}. Fields include chain, protocolVersion, pairAddress, tokenA/tokenB, dexName and isBondingCurve. Curves also expose launchProgress where available. Filter on chain and pairAddress; this endpoint is not a full history feed.

```
curl -fsS "https://cookdex.net/api/pools/catalog"
```

Per-token recent trades

```
GET /api/public/token/{chain}/{contract}/trades?pair={pool}
```

The pair parameter selects a specific market for that token. Successful payloads include success, pairAddress and trade fields from the selected market provider. Token or pool lookup may return HTTP 404. Curve markets are served through the current launch/curve market path where available.

Stored trade history

```
GET /api/public/token/{chain}/{contract}/trades/history
```

```
Optional query: pair, before, beforeId, limit
```

before and beforeId pass through to stored-history pagination. Treat returned pagination values as opaque; do not invent a cursor from a transaction hash. Payload details can differ for AMM history and curve markets; check the selected response before continuing pagination.

Example: Cookchain wCOOK/USDC curve trade history

EasyLaunch discovery

```
GET /api/public/meme-easy-launch?chain={chain}&page=1
```

Response includes success, items and pagination fields when available. Follow page/pages instead of requesting all chains repeatedly. Launch state and migration data remain per-launch; a completed launch belongs to its AMM successor market.

Client operation

Poll statistics no more frequently than its 60-second cache interval. Cache the pool catalog; fetch history only for the selected market. Check HTTP status and Content-Type before JSON parsing. Back off on HTTP 429 or temporary 5xx responses; do not interpret a failed request as zero trading activity. Public data is not a transaction-signing interface and does not provide database write access.

Source snapshot and revision notes

Configuration and catalogs were collected on 08 October 2026. Current AMM addresses come from the CookDEX chains() configuration; current EasyLaunch factory slots come from data/meme_easy_launch/config.json. System market membership comes from the public pool catalog and deployed system-curve setup records. The official token list is taken from the canonical bridge-route directory.

Public JSON sources: CookDEX pool catalog, EasyLaunch discovery and DEX statistics; CookSwap network metadata; Cookscan official wCOOK directory. RPC factory checks succeeded on eight networks in this run. Other networks returned unavailable/blocked requests; their listed addresses remain configuration-sourced, not freshly RPC-certified.

Saved verification status is included where relevant but may lag explorer state. Deployed bytecode, all token permissions, each factory fee-tier enablement and every liquidity pool were not independently audited. This revision replaces the former current-address directory; old router/factory history is not included.

USDC / native reward revision

USDC is retained as the stable asset. Cookchain native rewards are reported as 0.001 COOK per block, supported by the sampled explorer block record and the available reward configuration. Other network reward schedules are not claimed by CookDEX. The API section reflects the currently installed public read routes.

CookDEX pool catalog

CookDEX statistics

CookSwap networks

Official wCOOK directory